

Adverse Factors

7 - What factors can affect children and youth adversely?

Provincial Results



7 - What factors can affect children and youth adversely?

UN Convention on the Right of the Child: Article 2, 3, 6, 12, 17, 18, 29, 33

	New Brunswick		Age or Grade	Male	Female	NB Average	Canadian Average	Rank (NB to Canada)
Teen pregnancy	1 - Teen pregnancy rate (2009, rate per 1,000 females)		15 to 19 years old	--	25.9	25.9	X	X
	2 - Teens who gave birth (2008, crude birth rate 1,000 females)		15 to 19 years old	--	20.8	20.8	14.3	7/13
Drug Use	3 - Youth who have used marijuana within the last year (2007, %)		Grade 7, 9, 10, 12	27	23.4	25.1	X	X
Tobacco use	4 - Youth who have smoked in the last 30 days (2009-2010, %)		Grade 6 to 12	14	10	12	X	X
	5 - Youth who have a family member [parent, step-parent, guardian, brother or sister] who smokes (2009-2010, %)		Grade 6 to 12	75	76	76	X	X
	6 - Youth come in contact with second-hand smoke at home (2009-2010, %)		Grade 6 to 12	24	22	23	X	X
	7 - Child who lives with people who smoke or use tobacco (2010-2011, %)		Grade 4 to 5	31	30	31	X	X
	8 - People are allowed to smoke inside home as reported by parent (2010-2011, %)		Parents - K to 5	X	X	5	X	X
Alcohol use	9 - Youth come in contact with second-hand smoke in the past week in a vehicle (2009-2010, %)		Grade 6 to 12	33	31	32	X	X
Other Negative Behaviours of children or youth	10 - Youth heavy drinking (getting drunk) in the last 30 days (2007, %)		Grade 7, 9, 10, 12	24.5	23.3	23.9	25.8	1/4
	11 - Youth who consume sweetened non-nutritious beverages (2009-2010, %)		Grade 6 to 12	68	56	61	X	X
	12 - Child who consumes any sweetened non-nutritious beverages yesterday (2010-2011, %)		Grade 4 to 5	60	52	57	X	X
	13 - Youth have high levels of oppositional behaviours [being defiant, disrespectful, rude, etc.] (2009-2010, %)		Grade 6 to 12	18	13	16	X	X
	14 - Child has high levels of oppositional behaviours [being defiant, disrespectful, rude, etc.] (2010-2011, %)		Grade K4to 5	27	16	22	X	X
	15 - Youth who always wear a helmet when using a bicycle (2009-2010, %)		12 to 19 years old	45.5	46.6	46	31.2	5/12
	16 - Youth who rarely or never use protective mouth equipment (for hockey) or protective head gear [for skating, rollerblading, downhill skiing, or snowboarding] (2009-2010, %)		12 to 19 years old	14.69	7.29	11.04	11.81	X
	17 - Youth who have been a passenger with an impaired driver within the last year (2007, %)		Grade 7, 9, 10, 12	18.7	21.2	19.8	18.9	4/4
	18 - Youth safe sex - those that engaged in sexual activity and used a condom (2007, %)		Grade 7, 9, 10, 12	66.3	59.6	62.6	61.3	1/4
Caution	19 - Violent crime done by youth (2010, rate of 100,000 youth population)		12 to 17 years old	X	X	2,606	1,838	7/13
Lagging (last 3 places)	20 - Property crime done by youth (2010, rate of 100,000 youth population)		12 to 17 years old	X	X	4,372	3,155	7/13

Legend:

Doing Well (ranked 1, 2, 3)

Caution

Lagging (last 3 places)


(Includes all provinces and territories when data is available -13 maximum)

X = Data unavailable

K = Kindergarten

Adverse Factors

Results by Zones





7 - What factors can affect children and youth adversely?

UN Convention on the Right of the Child: Article 2, 3, 6, 12, 17, 18, 29, 33

		ZONE 1 – Moncton / South East area					Age or Grade	Male	Female	Zone 1	NB	Rank (Zone 1 to other zones)
Teen pregnancy	1 - Teen pregnancy rate (2009, rate per 1,000 females)	15 to 19 years old	X	26.1	26.1	25.9	3/7					
	2 - Teens who gave birth (2008, crude birth rate 1,000 females)	15 to 19 years old	X	16.6	16.6	20.8	3/7					
Drug Use	3 - Youth who have used marijuana within the last year (2007, %)	Grade 7, 9, 10, 12	23.4	21.1	22.3	25.1	3/7					
Tobacco use	4 - Youth who have smoked in the last 30 days (2009-2010, %)	Grade 6 to 12	9	8	9	12	2/7					
	5 - Youth who have a family member [parent, step-parent, guardian, brother or sister] who smokes (2009-2010, %)	Grade 6 to 12	77	78	77	76	3/7					
	6 - Youth come in contact with second-hand smoke at home (2009-2010, %)	Grade 6 to 12	19	17	18	23	1/7					
	7 - Child who lives with people who smoke or use tobacco (2010-2011, %)	Grade 4 to 5	X	X	X	31	X					
	8 - People are allowed to smoke inside home as reported by parent (2010-2011, %)	Parents - K to 5	X	X	X	5	X					
Alcohol use	9 - Youth come in contact with second-hand smoke in the past week in a vehicle (2009-2010, %)	Grade 6 to 12	24	25	25	32	1/7					
	10 - Youth heavy drinking (getting drunk) in the last 30 days (2007, %)	Grade 7, 9, 10, 12	X	X	25.7	23.9	6/7					
Other Negative Behaviours of children or youth	11 - Youth who consume sweetened non-nutritious beverages (2009-2010, %)	Grade 6 to 12	61	51	56	61	4/7					
	12 - Child who consumes any sweetened non-nutritious beverages yesterday (2010-2011, %)	Grade 4 to 5	X	X	X	57	X					
	13 - Youth have high levels of oppositional behaviours [being defiant, disrespectful, rude, etc.] (2009-2010, %)	Grade 6 to 12	15	10	13	16	1/7					
	14 - Child has high levels of oppositional behaviours [being defiant, disrespectful, rude, etc.] (2010-2011, %)	Grade K to 5	X	X	X	22	X					
	15 - Youth who always wear a helmet when using a bicycle (2009-2010, %)	12 to 19 years old	34.5	47.2	38.8	46	4/6					
	16 - Youth who rarely or never use protective mouth equipment (for hockey) or protective head gear [for skating, rollerblading, downhill skiing, or snowboarding] (2009-2010, %)	12 to 19 years old	18.1	4.6	10.8	11.04	3/7					
	17 - Youth who have been a passenger with an impaired driver within the last year (2007, %)	Grade 7, 9, 10, 12	X	X	21.5	19.8	5/7					
	18 - Youth safe sex - those that engaged in sexual activity and used a condom (2007, %)	Grade 7, 9, 10, 12	X	X	61.4	62.6	5/7					
19 - Violent crime done by youth (2010, rate of 100,000 youth population)	12 to 17 years old	X	X	X	2,606	X						
20 - Property crime done by youth (2010, rate of 100,000 youth population)	12 to 17 years old	X	X	X	4,372	X						

Legend:

Doing Well (ranked 1, 2)

Caution

Lagging (last 2 places)

(Compares to all zones when data is available (7 in total))

*=Another zone has the same ranking

X =Data unavailable

K = Kindergarten



7 - What factors can affect children and youth adversely?

UN Convention on the Right of the Child: Article 2, 3, 6, 12, 17, 18, 29, 33

ZONE 2 – Fundy Shore / Saint John area		Age or Grade	Male	Female	Zone 2	NB	Rank (Zone 2 to other zones)
Teen pregnancy	1 - Teen pregnancy rate (2009, rate per 1,000 females)	15 to 19 years old	X	29.7	29.7	25.9	5/7
	2 - Teens who gave birth (2008, crude birth rate 1,000 females)	15 to 19 years old	X	27.6	27.6	20.8	7/7
Drug Use	3 - Youth who have used marijuana within the last year (2007, %)	Grade 7, 9, 10, 12	33.1	28.8	30.9	25.1	7/7
Tobacco use	4 - Youth who have smoked in the last 30 days (2009-2010, %)	Grade 6 to 12	16	11	13	12	4/7
	5 - Youth who have a family member [parent, step-parent, guardian, brother or sister] who smokes (2009-2010, %)	Grade 6 to 12	70	72	71	76	1*/7
	6 - Youth come in contact with second-hand smoke at home (2009-2010, %)	Grade 6 to 12	23	19	20	23	2/7
	7 - Child who lives with people who smoke or use tobacco (2010-2011, %)	Grade 4 to 5	X	X	X	31	X
	8 - People are allowed to smoke inside home as reported by parent (2010-2011, %)	Parents - K to 5	X	X	X	5	X
Alcohol use	9 - Youth come in contact with second-hand smoke in the past week in a vehicle (2009-2010, %)	Grade 6 to 12	31	28	29	32	2/7
	10 - Youth heavy drinking (getting drunk) in the last 30 days (2007, %)	Grade 7, 9, 10, 12	X	X	26.0	23.9	7/7
Other Negative Behaviours of children or youth	11 - Youth who consume sweetened non-nutritious beverages (2009-2010, %)	Grade 6 to 12	29	42	36	61	1*/7
	12 - Child who consumes any sweetened non-nutritious beverages yesterday (2010-2011, %)	Grade 4 to 5	X	X	X	57	X
	13 - Youth have high levels of oppositional behaviours [being defiant, disrespectful, rude, etc.] (2009-2010, %)	Grade 6 to 12	19	14	17	16	5*/7
	14 - Child has high levels of oppositional behaviours [being defiant, disrespectful, rude, etc.] (2010-2011, %)	Grade K to 5	X	X	X	22	X
	15 - Youth who always wear a helmet when using a bicycle (2009-2010, %)	12 to 19 years old	52.7	55.4	53.7	46	2/6
	16 - Youth who rarely or never use protective mouth equipment (for hockey) or protective head gear [for skating, rollerblading, downhill skiing, or snowboarding] (2009-2010, %)	12 to 19 years old	13.9	5.2	11.8	11.04	4/7
	17 - Youth who have been a passenger with an impaired driver within the last year (2007, %)	Grade 7, 9, 10, 12	X	X	20.0	19.8	2/7
	18 - Youth safe sex - those that engaged in sexual activity and used a condom (2007, %)	Grade 7, 9, 10, 12	X	X	62.5	62.6	4/7
	19 - Violent crime done by youth (2010, rate of 100,000 youth population)	12 to 17 years old	X	X	X	2,606	X
	20 - Property crime done by youth (2010, rate of 100,000 youth population)	12 to 17 years old	X	X	X	4,372	X

Legend:

Doing Well (ranked 1, 2)

Caution

Lagging (last 2 places)

(Compares to all zones when data is available (7 in total))

*=Another zone has the same ranking

X =Data unavailable

K = Kindergarten



7 - What factors can affect children and youth adversely?

UN Convention on the Right of the Child: Article 2, 3, 6, 12, 17, 18, 29, 33

ZONE 3 – Fredericton / River Valley area		Age or Grade	Male	Female	Zone 3	NB	Rank (Zone 3 to other zones)
Teen pregnancy	1 - Teen pregnancy rate (2009, rate per 1,000 females)	15 to 19 years old	X	21.0	21.0	25.9	2/7
	2 - Teens who gave birth (2008, crude birth rate 1,000 females)	15 to 19 years old	X	22.8	22.8	20.8	6/7
Drug Use	3 - Youth who have used marijuana within the last year (2007, %)	Grade 7, 9, 10, 12	31.8	24.3	28	25.1	6/7
Tobacco use	4 - Youth who have smoked in the last 30 days (2009-2010, %)	Grade 6 to 12	14	13	14	12	5/7
	5 - Youth who have a family member [parent, step-parent, guardian, brother or sister] who smokes (2009-2010, %)	Grade 6 to 12	71	70	71	76	1*/7
	6 - Youth come in contact with second-hand smoke at home (2009-2010, %)	Grade 6 to 12	24	22	23	23	4/7
	7 - Child who lives with people who smoke or use tobacco (2010-2011, %)	Grade 4 to 5	X	X	X	31	X
	8 - People are allowed to smoke inside home as reported by parent (2010-2011, %)	Parents - K to 5	X	X	X	5	X
Alcohol use	9 - Youth come in contact with second-hand smoke in the past week in a vehicle (2009-2010, %)	Grade 6 to 12	35	32	33	32	4/7
	10 - Youth heavy drinking (getting drunk) in the last 30 days (2007, %)	Grade 7, 9, 10, 12	X	X	22.2	23.9	2/7
Other Negative Behaviours of children or youth	11 - Youth who consume sweetened non-nutritious beverages (2009-2010, %)	Grade 6 to 12	30	43	36	61	1*/7
	12 - Child who consumes any sweetened non-nutritious beverages yesterday (2010-2011, %)	Grade 4 to 5	X	X	X	57	X
	13 - Youth have high levels of oppositional behaviours [being defiant, disrespectful, rude, etc.] (2009-2010, %)	Grade 6 to 12	18	15	16	16	3*/7
	14 - Child has high levels of oppositional behaviours [being defiant, disrespectful, rude, etc.] (2010-2011, %)	Grade K to 5	X	X	X	22	X
	15 - Youth who always wear a helmet when using a bicycle (2009-2010, %)	12 to 19 years old	59.9	62	60.8	46	1/6
	16 - Youth who rarely or never use protective mouth equipment (for hockey) or protective head gear [for skating, rollerblading, downhill skiing, or snowboarding] (2009-2010, %)	12 to 19 years old	11.5	5.6	8.7	11.04	2/7
	17 - Youth who have been a passenger with an impaired driver within the last year (2007, %)	Grade 7, 9, 10, 12	X	X	14.5	19.8	1/7
	18 - Youth safe sex - those that engaged in sexual activity and used a condom (2007, %)	Grade 7, 9, 10, 12	X	X	58.4	62.6	6/7
19 - Violent crime done by youth (2010, rate of 100,000 youth population)	12 to 17 years old	X	X	X	2,606	X	
20 - Property crime done by youth (2010, rate of 100,000 youth population)	12 to 17 years old	X	X	X	4,372	X	

Legend:

Doing Well (ranked 1, 2)

Caution

Lagging (last 2 places)

(Compares to all zones when data is available (7 in total))

*=Another zone has the same ranking

X =Data unavailable

K = Kindergarten



7 - What factors can affect children and youth adversely?

UN Convention on the Right of the Child: Article 2, 3, 6, 12, 17, 18, 29, 33

ZONE 4 – Madawaska / North West area		Age or Grade	Male	Female	Zone 4	NB	Rank (Zone 4 to other zones)
Teen pregnancy	1 - Teen pregnancy rate (2009, rate per 1,000 females)	15 to 19 years old	X	15.0	15.0	25.9	1/7
	2 - Teens who gave birth (2008, crude birth rate 1,000 females)	15 to 19 years old	X	16.2	16.2	20.8	2/7
Drug Use	3 - Youth who have used marijuana within the last year (2007, %)	Grade 7, 9, 10, 12	23.4	19.1	21.1	25.1	1/7
Tobacco use	4 - Youth who have smoked in the last 30 days (2009-2010, %)	Grade 6 to 12	13	7	10	12	3/7
	5 - Youth who have a family member [parent, step-parent, guardian, brother or sister] who smokes (2009-2010, %)	Grade 6 to 12	87	88	87	76	7/7
	6 - Youth come in contact with second-hand smoke at home (2009-2010, %)	Grade 6 to 12	31	29	30	23	6/7
	7 - Child who lives with people who smoke or use tobacco (2010-2011, %)	Grade 4 to 5	X	X	X	31	X
	8 - People are allowed to smoke inside home as reported by parent (2010-2011, %)	Parents - K to 5	X	X	X	5	X
Alcohol use	9 - Youth come in contact with second-hand smoke in the past week in a vehicle (2009-2010, %)	Grade 6 to 12	39	36	39	32	5/7
	10 - Youth heavy drinking (getting drunk) in the last 30 days (2007, %)	Grade 7, 9, 10, 12	X	X	22.4	23.9	3/7
Other Negative Behaviours of children or youth	11 - Youth who consume sweetened non-nutritious beverages (2009-2010, %)	Grade 6 to 12	70	58	61	61	5/7
	12 - Child who consumes any sweetened non-nutritious beverages yesterday (2010-2011, %)	Grade 4 to 5	X	X	X	57	X
	13 - Youth have high levels of oppositional behaviours [being defiant, disrespectful, rude, etc.] (2009-2010, %)	Grade 6 to 12	18	11	14	16	2/7
	14 - Child has high levels of oppositional behaviours [being defiant, disrespectful, rude, etc.] (2010-2011, %)	Grade K to 5	X	X	X	22	X
	15 - Youth who always wear a helmet when using a bicycle (2009-2010, %)	12 to 19 years old	X	X	35.4	46	5/6
	16 - Youth who rarely or never use protective mouth equipment (for hockey) or protective head gear [for skating, rollerblading, downhill skiing, or snowboarding] (2009-2010, %)	12 to 19 years old	13.1	13.3	13.2	11.04	6/7
	17 - Youth who have been a passenger with an impaired driver within the last year (2007, %)	Grade 7, 9, 10, 12	X	X	24.7	19.8	7/7
	18 - Youth safe sex - those that engaged in sexual activity and used a condom (2007, %)	Grade 7, 9, 10, 12	X	X	70.5	62.6	1/7
19 - Violent crime done by youth (2010, rate of 100,000 youth population)	12 to 17 years old	X	X	X	2,606	X	
20 - Property crime done by youth (2010, rate of 100,000 youth population)	12 to 17 years old	X	X	X	4,372	X	

Legend:

Doing Well (ranked 1, 2)

Caution

Lagging (last 2 places)

(Compares to all zones when data is available (7 in total))

*=Another zone has the same ranking

X =Data unavailable

K = Kindergarten



7 - What factors can affect children and youth adversely?

UN Convention on the Right of the Child: Article 2, 3, 6, 12, 17, 18, 29, 33

		ZONE 5 – Restigouche area					Age or Grade	Male	Female	Zone 5	NB	Rank (Zone 5 to other zones)
Teen pregnancy	1 - Teen pregnancy rate (2009, rate per 1,000 females)	15 to 19 years old	X	30.7	30.7	25.9	6/7					
	2 - Teens who gave birth (2008, crude birth rate 1,000 females)	15 to 19 years old	X	14.8	14.8	20.8	1/7					
Drug Use	3 - Youth who have used marijuana within the last year (2007, %)	Grade 7, 9, 10, 12	28.5	23.6	26	25.1	5/7					
Tobacco use	4 - Youth who have smoked in the last 30 days (2009-2010, %)	Grade 6 to 12	18	13	16	12	6/7					
	5 - Youth who have a family member [parent, step-parent, guardian, brother or sister] who smokes (2009-2010, %)	Grade 6 to 12	82	84	83	76	5*/7					
	6 - Youth come in contact with second-hand smoke at home (2009-2010, %)	Grade 6 to 12	33	45	34	23	7/7					
	7 - Child who lives with people who smoke or use tobacco (2010-2011, %)	Grade 4 to 5	X	X	X	31	X					
	8 - People are allowed to smoke inside home as reported by parent (2010-2011, %)	Parents - K to 5	X	X	X	5	X					
Alcohol use	9 - Youth come in contact with second-hand smoke in the past week in a vehicle (2009-2010, %)	Grade 6 to 12	40	47	44	32	7/7					
	10 - Youth heavy drinking (getting drunk) in the last 30 days (2007, %)	Grade 7, 9, 10, 12	X	X	23.9	23.9	5/7					
Other Negative Behaviours of children or youth	11 - Youth who consume sweetened non-nutritious beverages (2009-2010, %)	Grade 6 to 12	68	58	63	61	6/7					
	12 - Child who consumes any sweetened non-nutritious beverages yesterday (2010-2011, %)	Grade 4 to 5	X	X	X	57	X					
	13 - Youth have high levels of oppositional behaviours [being defiant, disrespectful, rude, etc.] (2009-2010, %)	Grade 6 to 12	20	13	17	16	5*/7					
	14 - Child has high levels of oppositional behaviours [being defiant, disrespectful, rude, etc.] (2010-2011, %)	Grade K to 5	X	X	X	22	X					
	15 - Youth who always wear a helmet when using a bicycle (2009-2010, %)	12 to 19 years old	X	X	X	46	X					
	16 - Youth who rarely or never use protective mouth equipment (for hockey) or protective head gear [for skating, rollerblading, downhill skiing, or snowboarding] (2009-2010, %)	12 to 19 years old	7.7	6.6	7.2	11.04	1/7					
	17 - Youth who have been a passenger with an impaired driver within the last year (2007, %)	Grade 7, 9, 10, 12	X	X	21.1	19.8	3/7					
	18 - Youth safe sex - those that engaged in sexual activity and used a condom (2007, %)	Grade 7, 9, 10, 12	X	X	23.9	62.6	7/7					
19 - Violent crime done by youth (2010, rate of 100,000 youth population)	12 to 17 years old	X	X	X	2,606	X						
20 - Property crime done by youth (2010, rate of 100,000 youth population)	12 to 17 years old	X	X	X	4,372	X						

Legend:

Doing Well (ranked 1, 2)

Caution

Lagging (last 2 places)

(Compares to all zones when data is available (7 in total))

*=Another zone has the same ranking

X =Data unavailable

K = Kindergarten



7 - What factors can affect children and youth adversely?

UN Convention on the Right of the Child: Article 2, 3, 6, 12, 17, 18, 29, 33

ZONE 6 – Bathurst / Acadian Peninsula		Age or Grade	Male	Female	Zone 6	NB	Rank (Zone 6 to other zones)
Teen pregnancy	1 - Teen pregnancy rate (2009, rate per 1,000 females)	15 to 19 years old	x	26.6	26.6	25.9	4/7
	2 - Teens who gave birth (2008, crude birth rate 1,000 females)	15 to 19 years old	X	18.7	18.7	20.8	4/7
Drug Use	3 - Youth who have used marijuana within the last year (2007, %)	Grade 7, 9, 10, 12	21.6	21.5	21.6	25.1	2/7
Tobacco use	4 - Youth who have smoked in the last 30 days (2009-2010, %)	Grade 6 to 12	8	6	7	12	1/7
	5 - Youth who have a family member [parent, step-parent, guardian, brother or sister] who smokes (2009-2010, %)	Grade 6 to 12	82	83	83	76	5*/7
	6 - Youth come in contact with second-hand smoke at home (2009-2010, %)	Grade 6 to 12	23	18	21	23	3/7
	7 - Child who lives with people who smoke or use tobacco (2010-2011, %)	Grade 4 to 5	X	X	X	31	X
	8 - People are allowed to smoke inside home as reported by parent (2010-2011, %)	Parents - K to 5	X	X	X	5	X
Alcohol use	9 - Youth come in contact with second-hand smoke in the past week in a vehicle (2009-2010, %)	Grade 6 to 12	32	34	32	32	3/7
	10 - Youth heavy drinking (getting drunk) in the last 30 days (2007, %)	Grade 7, 9, 10, 12	X	X	19.6	23.9	1/7
Other Negative Behaviours of children or youth	11 - Youth who consume sweetened non-nutritious beverages (2009-2010, %)	Grade 6 to 12	61	60	55	61	3/7
	12 - Child who consumes any sweetened non-nutritious beverages yesterday (2010-2011, %)	Grade 4 to 5	X	X	X	57	X
	13 - Youth have high levels of oppositional behaviours [being defiant, disrespectful, rude, etc.] (2009-2010, %)	Grade 6 to 12	19	12	16	16	3*/7
	14 - Child has high levels of oppositional behaviours [being defiant, disrespectful, rude, etc.] (2010-2011, %)	Grade K to 5	X	X	X	22	X
	15 - Youth who always wear a helmet when using a bicycle (2009-2010, %)	12 to 19 years old	X	X	28	46	6/6
	16 - Youth who rarely or never use protective mouth equipment (for hockey) or protective head gear [for skating, rollerblading, downhill skiing, or snowboarding] (2009-2010, %)	12 to 19 years old	17.8	5.9	12.1	11.04	5/7
	17 - Youth who have been a passenger with an impaired driver within the last year (2007, %)	Grade 7, 9, 10, 12	X	X	22.2	19.8	6/7
	18 - Youth safe sex - those that engaged in sexual activity and used a condom (2007, %)	Grade 7, 9, 10, 12	X	X	66.5	62.6	2/7
19 - Violent crime done by youth (2010, rate of 100,000 youth population)	12 to 17 years old	X	X	X	2,606	X	
20 - Property crime done by youth (2010, rate of 100,000 youth population)	12 to 17 years old	X	X	X	4,372	X	

Legend:

Doing Well (ranked 1, 2)

Caution

Lagging (last 2 places)

(Compares to all zones when data is available (7 in total))

*=Another zone has the same ranking

X =Data unavailable

K = Kindergarten



7 - What factors can affect children and youth adversely?

UN Convention on the Right of the Child: Article 2, 3, 6, 12, 17, 18, 29, 33

ZONE 7 – Miramichi area		Age or Grade	Male	Female	Zone 7	NB	Rank (Zone 7 to other zones)
Teen pregnancy	1 - Teen pregnancy rate (2009, rate per 1,000 females)	15 to 19 years old	X	37.1	37.1	25.9	7/7
	2 - Teens who gave birth (2008, crude birth rate 1,000 females)	15 to 19 years old	X	19.8	19.8	20.8	5/7
Drug Use	3 - Youth who have used marijuana within the last year (2007, %)	Grade 7, 9, 10, 12	24.9	24.3	24.5	25.1	4/7
Tobacco use	4 - Youth who have smoked in the last 30 days (2009-2010, %)	Grade 6 to 12	21	15	18	12	7/7
	5 - Youth who have a family member [parent, step-parent, guardian, brother or sister] who smokes (2009-2010, %)	Grade 6 to 12	76	79	78	76	4/7
	6 - Youth come in contact with second-hand smoke at home (2009-2010, %)	Grade 6 to 12	28	28	27	23	5/7
	7 - Child who lives with people who smoke or use tobacco (2010-2011, %)	Grade 4 to 5	X	X	X	31	X
	8 - People are allowed to smoke inside home as reported by parent (2010-2011, %)	Parents - K to 5	X	X	X	5	X
Alcohol use	9 - Youth come in contact with second-hand smoke in the past week in a vehicle (2009-2010, %)	Grade 6 to 12	43	40	41	32	6/7
	10 - Youth heavy drinking (getting drunk) in the last 30 days (2007, %)	Grade 7, 9, 10, 12	X	X	23.3	23.9	4/7
Other Negative Behaviours of children or youth	11 - Youth who consume sweetened non-nutritious beverages (2009-2010, %)	Grade 6 to 12	73	67	69	61	7/7
	12 - Child who consumes any sweetened non-nutritious beverages yesterday (2010-2011, %)	Grade 4 to 5	X	X	X	57	X
	13 - Youth have high levels of oppositional behaviours [being defiant, disrespectful, rude, etc.] (2009-2010, %)	Grade 6 to 12	21	15	18	16	7/7
	14 - Child has high levels of oppositional behaviours [being defiant, disrespectful, rude, etc.] (2010-2011, %)	Grade K to 5	X	X	X	22	X
	15 - Youth who always wear a helmet when using a bicycle (2009-2010, %)	12 to 19 years old	X	X	40.1	46	3/6
	16 - Youth who rarely or never use protective mouth equipment (for hockey) or protective head gear [for skating, rollerblading, downhill skiing, or snowboarding] (2009-2010, %)	12 to 19 years old	20.7	11.8	16.8	11.04	7/7
	17 - Youth who have been a passenger with an impaired driver within the last year (2007, %)	Grade 7, 9, 10, 12	X	X	21.1	19.8	3*/7
	18 - Youth safe sex - those that engaged in sexual activity and used a condom (2007, %)	Grade 7, 9, 10, 12	X	X	63.5	62.6	3/7
19 - Violent crime done by youth (2010, rate of 100,000 youth population)	12 to 17 years old	X	X	X	2,606	X	
20 - Property crime done by youth (2010, rate of 100,000 youth population)	12 to 17 years old	X	X	X	4,372	X	

Legend:

Doing Well (ranked 1, 2)

Caution

Lagging (last 2 places)

(Compares to all zones when data is available (7 in total))


*=Another zone has the same ranking

X =Data unavailable

K = Kindergarten

Adverse Factors

Summary of Zones





7 - What factors can affect children and youth adversely?

UN Convention on the Right of the Child: Article 2, 3, 6, 12, 17, 18, 29, 33

	Doing well (ranked 1 or 2 out of the 7 zones) Lagging (ranked 6 or 7 out of the 7 zones)	X = Data Unavailable	Zone 1	Zone 2	Zone 3	Zone 4	Zone 5	Zone 6	Zone 7	NB Average	Canadian Average
Teen pregnancy	1 - Teen pregnancy rate (2009, rate per 1,000 females)		26.1	29.7	21.0	15.0	30.7	26.6	37.1	25.9	X
	2 - Teens who gave birth (2008, crude birth rate 1,000 females)		16.6	27.6	22.8	16.2	14.8	18.7	19.8	20.8	14.3
Drug Use	3 - Youth who have used marijuana within the last year (2007, %)		22.3	30.9	28	21.1	26	21.6	24.5	25.1	X
Tobacco use	4 - Youth who have smoked in the last 30 days (2009-2010, %)		9	13	14	10	16	7	18	12	X
	5 - Youth who have a family member [parent, step-parent, guardian, brother or sister] who smokes (2009-2010, %)		77	71	71	87	83	83	78	76	X
	6 - Youth come in contact with second-hand smoke at home (2009-2010, %)		18	20	23	30	34	21	27	23	X
	7 - Child who lives with people who smoke or use tobacco (2010-2011, %)		X	X	X	X	X	X	X	31	X
	8 - People are allowed to smoke inside home as reported by parent (2010-2011, %)		X	X	X	X	X	X	X	5	X
	9 - Youth come in contact with second-hand smoke in the past week in a vehicle (2009-2010, %)		25	29	33	39	44	32	41	32	X
Alcohol use	10 - Youth heavy drinking (getting drunk) in the last 30 days (2007, %)		25.7	26.0	22.2	22.4	23.9	19.6	23.3	23.9	25.8
Other Negative Behaviours of children or youth	11 - Youth who consume sweetened non-nutritious beverages (2009-2010, %)		56	36	36	61	63	55	69	61	X
	12 - Child who consumes any sweetened non-nutritious beverages yesterday (2010-2011, %)		X	X	X	X	X	X	X	57	X
	13 - Youth have high levels of oppositional behaviours [being defiant, disrespectful, rude, etc.] (2009-2010, %)		13	17	16	14	17	16	18	16	X
	14 - Child has high levels of oppositional behaviours [being defiant, disrespectful, rude, etc.] (2010-2011, %)		X	X	X	X	X	X	X	22	X
	15 - Youth who always wear a helmet when using a bicycle (2009-2010, %)		38.8	53.7	60.8	35.4	X	28	40.1	46	31.2
	16 - Youth who rarely or never use protective mouth equipment (for hockey) or protective head gear [for skating, rollerblading, downhill skiing, or snowboarding] (2009-2010, %)		10.8	11.8	8.7	13.2	7.2	12.1	16.8	11.04	11.81
	17 - Youth who have been a passenger with an impaired driver within the last year (2007, %)		21.5	20.0	14.5	24.7	21.1	22.2	21.1	19.8	18.9
	18 - Youth safe sex - those that engaged in sexual activity and used a condom (2007, %)		61.4	62.5	58.4	70.5	23.9	66.5	63.5	62.6	61.3
	19 - Violent crime done by youth (2010, rate of 100,000 youth population)		X	X	X	X	X	X	X	2,606	1,838
	20 - Property crime done by youth (2010, rate of 100,000 youth population)		X	X	X	X	X	X	X	4,372	3,155

Adverse Factors

Data Sources

7 – What factors can affect children and youth adversely?

ADVERSE FACTORS

1. Government of New Brunswick, Department of Health, Office of the Chief Medical Officer of Health. (Pregnancies include registered live births and still births plus legal therapeutic abortions in accredited New Brunswick Hospitals.).
2. Statistics Canada, *CANSIM table 102-4505, Vital Statistics – Birth Database* (2008), [online], from < www.statcan.gc.ca >.
3. Government of New Brunswick, Department of Health, *Student Drug Use Survey in the Atlantic Provinces 2007, Department of Community Health and Epidemiology, Dalhousie University* (2007).
4. Government of New Brunswick, Department of Wellness, Culture and Sport, *Student Wellness Survey Grade 6 to 12, 2009-2010* [2009-2010].
5. Government of New Brunswick, Department of Wellness, Culture and Sport, *Student Wellness Survey Grade 6 to 12, 2009-2010* [2009-2010].
6. Government of New Brunswick, Department of Wellness, Culture and Sport, *Student Wellness Survey Grade 6 to 12, 2009-2010* [2009-2010].
7. Government of New Brunswick, Department of Wellness, Culture and Sport, *Student Wellness Survey Kindergarten to Grade 5, 2010-2011* [2010-2011].
8. Government of New Brunswick, Department of Wellness, Culture and Sport, *Student Wellness Survey Kindergarten to Grade 5, 2010-2011* [2010-2011].
9. Government of New Brunswick, Department of Wellness, Culture and Sport, *Student Wellness Survey Grade 6 to 12, 2009-2010* [2009-2010].
10. Government of New Brunswick, Department of Health, *Student Drug Use Survey in the Atlantic Provinces 2007, Department of Community Health and Epidemiology, Dalhousie University* (2007).
11. Government of New Brunswick, Department of Wellness, Culture and Sport, *Student Wellness Survey Grade 6 to 12, 2009-2010* [2009-2010].
12. Government of New Brunswick, Department of Wellness, Culture and Sport, *Student Wellness Survey Kindergarten to Grade 5, 2010-2011* [2010-2011].
13. Government of New Brunswick, Department of Wellness, Culture and Sport, *Student Wellness Survey Grade 6 to 12, 2009-2010* [2009-2010].
14. Government of New Brunswick, Department of Wellness, Culture and Sport, *Student Wellness Survey Kindergarten to Grade 5, 2010-2011* [2010-2011].
15. Statistics Canada, *CANSIM table 105-0501, Canadian Community Health Survey* (2009-2010), [online], from < www.statcan.gc.ca >.
16. Statistics Canada, *Canadian Community Health Survey 2009-2010*, provided by the Government of New Brunswick, Department of Health.
17. Government of New Brunswick, Department of Health, *Student Drug Use Survey in the Atlantic Provinces 2007, Department of Community Health and Epidemiology, Dalhousie University* (2007).
18. Government of New Brunswick, Department of Health, *Student Drug Use Survey in the Atlantic Provinces 2007, Department of Community Health and Epidemiology, Dalhousie University* (2007).
19. Statistics Canada, Canadian Centre for Justice Statistics: Uniform Crime Reporting Survey, 2010 (2010), [online], from < www.statcan.gc.ca >.
20. Statistics Canada, Canadian Centre for Justice Statistics: Uniform Crime Reporting Survey, 2010 (2010), [online], from < www.statcan.gc.ca >.



New Brunswick Health Council

New Brunswickers have a right to be aware of the decisions being made, to be part of the decision-making process, and to be aware of the outcomes delivered by the health system and its cost.

The New Brunswick Health Council will foster this transparency, engagement, and accountability by engaging citizens in a meaningful dialogue, measuring, monitoring, and evaluating population health and health service quality, informing citizens on the health system's performance and recommending improvements to health system partners.

Pavillon J.-Raymond-Frenette
100 des Aboiteaux Street, Suite 2200
Moncton, NB
E1A 7R1

Phone: 1.877.225.2521
Fax: 1.506.869.6282

1.506.869.6870

www.nbhc.ca