



Caraquet, Paquetville, Bertrand Area

Anse-Bleue, Bas-Caraquet, Bertrand, Canobie, Caraquet, Clifton, Grande-Anse, Janeville, Maisonnette, New Bandon (Gloucester County), Notre-Dame-des-Érables, Paquetville, Pokeshaw, Rang-Saint-Georges, Saint-Léolin, Saint-Simon, Stonehaven

n = 255

n = 13,614

Demographic Profile ¹		2014 (%)	NB (%)
Age Group	18-34	18.0	24.3
	35-54	35.9	36.7
	55-64	22.1	18.7
	65+	23.9	20.3
Gender	Male	48.7	48.0
	Female	51.3	52.0
Education Level	High school or less	45.0	38.7
	College/Technical diploma	25.2	31.4
	University degree	29.9	29.9
Aboriginal	Yes	3.3	3.0
Preferred Language of Service	English	6.8	74.6
	French	93.2	25.4
Household Income	Less than \$25,000	32.6	19.9
	\$25,000 - \$59,999	42.1	35.5
	\$60,000 or more	25.3	44.6
Employment Status	Employed	51.5	54.6
	Unemployed/Seasonal	7.2	7.3
	Retired	29.0	24.7
	Other	12.3	13.5

Population (18 and over) based on 2011 Census: 12,385

Confidence interval calculated at a 95% level of confidence

Sample size shown represents total number of respondents
Exact number of respondents varies per survey indicator

n = 365

n = 255

n = 13,614

Health Services Barriers	2011 (%)	2014 (%)	NB (%)
Health services not available in your area when needed	34.2 (29.3 – 39.0)	23.7 (18.5 – 28.9)	17.4 (16.7 – 18.0)
Transportation problems	9.5 (6.5 – 12.4)	F	7.1 (6.6 – 7.5)
Language problems with health care provider	8.8 ^E (5.9 – 11.6)	4.8 ^E (2.2 – 7.4)	4.2 (3.9 – 4.6)
Cost for medication too high	71.7 (67.0 – 76.3)	61.0 (55.0 – 67.0)	35.2 (34.3 – 36.0)
Cost for treatments or procedures too high	38.6 (33.4 – 43.8)	37.0 (30.8 – 43.1)	19.9 (19.2 – 20.6)
Cost for ambulance services too high	58.5 (52.6 – 64.4)	36.3 (29.5 – 43.0)	21.7 (20.9 – 22.4)
Unable to leave the house because of health problems	12.5 (9.2 – 15.9)	5.4 ^E (2.6 – 8.1)	12.5 (11.9 – 13.0)
Have trouble finding their way around the health care system	9.6 (6.6 – 12.6)	5.3 ^E (2.6 – 8.1)	9.3 (8.8 – 9.8)
Difficulty understanding written information about medical condition or prescription (% always or usually)	14.1 (10.5 – 17.7)	13.4 (9.2 – 17.6)	9.4 (8.9 – 9.9)
How often was a medical condition or prescription explained to you in a way that you could understand? (% always or usually)	85.0 (81.4 – 88.7)	91.6 (88.2 – 95.0)	91.0 (90.6 – 91.5)
Things that contribute a lot to feelings of stress			
Time pressures / not enough time	Not Available	39.7 (33.7 – 45.7)	40.9 (40.1 – 41.7)
Health of family members	Not Available	37.3 (31.4 – 43.1)	38.1 (37.3 – 38.9)
Work situation (hours of work, or working conditions)	Not Available	30.9 (25.2 – 36.6)	34.2 (33.4 – 35.0)

¹Based on survey respondents, weighted by age and gender

^E Use with caution (coefficient of variation between 16.6% and 33.3%)

^F Too unreliable to be published (coefficient of variation greater than 33.3%)

Caraquet, Paquetville, Bertrand Area

↑ = Higher than 2011 results
 ↓ = Lower than 2011 results

	n = 365	n = 255	n = 13,614
Health Profile	2011 (%)	2014 (%)	NB (%)
Self-rated Health (% very good or excellent)	49.8 (44.7 – 54.9)	49.4 (43.4 – 55.5)	50.5 (49.6 – 51.3)
Self-rated mental or emotional health (% very good or excellent)	Not Available	63.0 (57.1 – 68.9)	65.4 (64.6 – 66.2)
“My health largely depends on how well I take care of myself” (% strongly agree)	41.2 (36.1 – 46.3)	48.9 (42.8 – 55.0)	55.2 (54.4 – 56.0)
Number of prescription medications taken on a regular basis ³ (% 6 or more)	11.3 ^E (7.3 – 15.3)	20.3 (14.0 – 26.5)	15.2 (14.5 – 15.9)
Discuss regularly with a health professional on improving health or preventing illness (% always or usually)	34.2 (29.1 – 39.3)	29.5 (23.8 – 35.1)	25.4 (24.7 – 26.1)
How long have you been seeing the same family doctor? (% 5 years or more)	71.2 (66.4 – 75.9)	70.2 (64.5 – 75.8)	73.0 (72.2 – 73.7)
Are you limited in doing activities because of a physical or mental condition, or a health problem? (% yes)	Not Available	20.0 (15.1 – 24.9)	22.1 (21.4 – 22.8)
Memory Loss			
Someone in household has a memory problem	Not Available	6,7 ^E (3.7 – 9.8)	9,9 (9.4 – 10.4)
...that interferes with day to day function	Not Available	F	3.9 (3.6 – 4.2)
Health Behaviours			
Eating fruits and vegetables (% 5 portions or more a day)	Not Available	51.7 (45.7 – 57.8)	50.4 (49.5 – 51.2)
Moderate or vigorous physical activity (% at least 2 ½ hours a week)	Not Available	45.9 (39.8 – 51.9)	49.0 (48.1 – 49.8)
Current smoker (% daily or occasional)	Not Available	16.4 (11.9 – 21.0)	19.2 (18.5 – 19.8)
Unhealthy weight (% obese)	Not Available	25.4 (20.1 – 30.8)	30.8 (30.0 – 31.6)

	n = 365	n = 255	n = 255	n = 13,614
Chronic Health Conditions ¹	2011 (%)	2014 (%)	2014 ² (#)	NB (%)
One or more chronic health conditions ³	55.4 (50.2 – 60.6)	58.8 (52.9 – 64.8)	7,287	61.6 (60.8 – 62.4)
High blood pressure	24.3 (19.9 – 28.6)	29.0 (23.5 – 34.5)	3,590	27.0 (26.2 – 27.7)
Gastric Reflux (GERD)	13.1 (9.6 – 16.5)	15.4 (11.0 – 19.8)	1,905	16.4 (15.8 – 17.0)
Depression	10.6 (7.5 – 13.7)	13.6 (9.4 – 17.8)	1,682	14.9 (14.3 – 15.5)
Arthritis	15.6 (11.9 – 19.2)	13.4 (9.3 – 17.6)	1,662	17.4 (16.8 – 18.0)
Diabetes	8.1 ^E (5.3 – 10.8)	12.5 (8.5 – 16.5)	1,547	10.7 (10.1 – 11.2)
Chronic pain	14.1 (10.6 – 17.6)	11.8 ^E (7.8 – 15.7)	1,457	14.0 (13.5 – 14.6)
Cancer	7.2 ^E (4.6 – 9.9)	9.5 ^E (6.0 – 13.1)	1,181	8.3 (7.8 – 8.7)
Heart disease	6.1 ^E (3.7 – 8.5)	8.9 ^E (5.4 – 12.4)	1,101	8.3 (7.9 – 8.8)
Asthma	9.5 (6.6 – 12.5)	8.7 ^E (5.3 – 12.2)	1,080	11.8 (11.3 – 12.4)
Stroke	F	3.7 ^E (1.4 – 6.0)	462	2.5 (2.2 – 2.8)
Emphysema or COPD	F	F	393	3.0 (2.7 – 3.3)
Mood disorder other than depression	F	F	183	3.0 (2.7 – 3.2)

Confidence interval calculated at a 95% level of confidence.

Symbols ↑ and ↓ indicate a statistically significant difference at the 95% level of confidence.

Sample size shown represents total number of respondents. Exact number of respondents varies per survey indicator.

¹ Self-reported based on survey respondents

² Estimated number of citizens who have the selected chronic health condition

³ Among the twelve chronic health conditions listed in table located at the right of this page.

^E Use with caution (coefficient of variation between 16.6% and 33.3%)

^F Too unreliable to be published (coefficient of variation greater than 33.3%)

Caraquet, Paquetville, Bertrand Area

B = Better than 2011 results
W = Worse than 2011 results

n=365 n=255 1 to 33 n=13,614

Primary Health Indicator		2011	2014	Rank ²	NB		
Accessibility							
The ability of patients/clients to obtain care/service at the right place and the right time, based on respective needs, in the official language of their choice							
Personal Family Doctor	A-1	Has a personal family doctor (% yes)	92.4 (89.7 - 95.1)	B 97.2 (95.2 - 99.2)	3	92.1 (91.7 - 92.5)	
	A-2	Calling family doctor's office during regular practice hours (% very easy or somewhat easy)	72.9 (68.2 - 77.6)	68.0 (62.2 - 73.8)	31	78.3 (77.6 - 79.0)	
	A-3	Family doctor has extended office hours (after 5pm or on weekends) (% yes)	Not available	9.3 ^E (5.7 - 12.9)	27	16.2 (15.6 - 16.8)	
	A-4	Family doctor has an after-hour arrangement when office is closed (% yes)	8.0 ^E (5.1 - 10.9)	11.4 ^E (7.5 - 15.3)	26	18.2 (17.5 - 18.9)	
	A-5	How quickly appointment can be made with family doctor	(% on same day or next day)	19.4 (15.0 - 23.8)	20.2 (15.0 - 25.4)	29	30.1 (29.3 - 30.9)
			(% within 5 days)	38.6 (33.2 - 43.9)	41.2 (34.9 - 47.5)	30	60.3 (59.4 - 61.2)
	A-6	Nurse working with family doctor who is regularly involved in health care (% yes)	19.3 (15.1 - 23.4)	25.7 (20.3 - 31.2)	19	27.5 (26.7 - 28.3)	
	A-7	Has access to a primary health team ³ (% yes)	22.8 (18.5 - 27.1)	29.6 (24.1 - 35.1)	16	28.5 (27.8 - 29.2)	
	A-8	Wait time at the hospital emergency department (% less than 4 hours)	76.3 (70.2 - 82.4)	79.0 (72.4 - 85.6)	11	73.9 (72.7 - 75.1)	
A-9	How often citizens received the health care service they needed in the official language of their choice (% who always received service in language of preference)	English ⁴	87.9 (73.6 - 100.0)	78.1 (57.8 - 98.4)	-	95.2 (94.8 - 95.6)	
		French ⁴	87.8 (84.1 - 91.5)	82.5 (77.6 - 87.4)	-	72.6 (71.0 - 74.2)	

² Indicator rank across 33 communities, from best (1) to worst (33)

³ Primary health team: Has access to a family doctor and has access to either a nurse practitioner or a nurse or other health professionals at their family doctor's office

⁴ Preferred language of service as indicated by respondent in the survey

^E Use with caution (coefficient of variation between 16.7% and 33.3%)

^F Too unreliable to be published (coefficient of variation greater than 33.3%)

Confidence interval calculated at a 95% level of confidence.

Symbols **B** and **W** indicate a statistically significant difference at the 95% level of confidence.

Sample size shown represents total number of respondents. Exact number of respondents varies per survey indicator.

Caraquet, Paquetville, Bertrand Area

B = Better than 2011 results
W = Worse than 2011 results

n=365 n=255 1 to 33 n=13,614

Primary Health Indicator		2011	2014	Rank ²	NB
Appropriateness					
Care/service provided is relevant to the patients'/clients' needs and based on established standards					
Q-1	Adults 65 and over who received their flu shot in the last year (% yes)	Not available	63.0 (49.4 - 76.6)	26	70.6 (69.2 - 72.0)
Q-2	Adults with one or more of four select chronic health conditions ⁵ who had measurements for blood pressure in the past 12 months (% yes)	93.1 (88.7 - 97.5)	83.4 (75.5 - 91.3)	31	91.3 (90.6 - 92.0)
Q-3	Adults with one or more of four select chronic health conditions ⁵ who had measurements for cholesterol in the past 12 months (% yes)	85.8 (79.6 - 91.9)	83.2 (75.2 - 91.2)	4	76.3 (75.2 - 77.4)
Q-4	Adults with one or more of four select chronic health conditions ⁵ who had measurements for blood sugar in the past 12 months (% yes)	74.3 (66.6 - 82.0)	82.0 (73.8 - 90.2)	2	73.9 (72.8 - 75.0)
Q-5	Adults with one or more of four select chronic health conditions ⁵ who had measurements for body weight in the past 12 months (% yes)	64.0 (55.6 - 72.5)	61.3 (50.9 - 71.7)	14	59.3 (58.0 - 60.6)
Q-6	How often family doctor helps citizens coordinate the care from other health care providers and places (% always)	75.6 (70.0 - 81.2)	70.5 (63.2 - 77.8)	19	70.7 (69.7 - 71.7)
Effectiveness					
Care/service, intervention or action achieves the desired results					
Q-7	Citizens with a chronic health condition ⁷ who are confident in controlling and managing their health condition (% very confident)	39.9 (33.5 - 46.3)	38.5 (31.0 - 46.0)	24	42.2 (41.2 - 43.2)
Safety					
Potential risks of an intervention or the environment are avoided or minimized					
Q-8	Citizens with a chronic health condition ⁷ who know what each of their prescribed medications do (% strongly agree)	28.6 (22.1 - 35.1)	32.0 (24.1 - 39.9)	26	47.7 (46.6 - 48.8)
Q-9	Was harmed due to a medical error or mistake as a result of health care services received in the last 12 months (excluding hospital stay) (% yes)	F	F	-	2.7⁶ (2.4 - 3.0)

² Indicator rank across 33 communities, from best (1) to worst (33)

⁵ Self-reported by respondent: Diabetes, heart disease, stroke or high blood pressure

⁶ For this type of indicator, a "better" result is achieved when the indicator has a "lower" value

⁷ Self-reported by respondent: Arthritis, asthma, cancer, chronic pain, depression, diabetes, emphysema or COPD, gastric reflux (GERD), heart disease, high blood pressure or hypertension, mood disorder other than depression, or stroke

^F Too unreliable to be published (coefficient of variation greater than 33.3%)

Confidence interval calculated at a 95% level of confidence.

Symbols **B** and **W** indicate a statistically significant difference at the 95% level of confidence.

Sample size shown represents total number of respondents. Exact number of respondents varies per survey indicator.

Caraquet, Paquetville, Bertrand Area

B = Better than 2011 results
W = Worse than 2011 results

n=365 n=255 1 to 33 n=13,614

Primary Health Indicator		2011	2014	Rank ²	NB
Efficiency					
Achieving the desired results with the most cost-effective use of resources					
Q-10	Model of care used most often when sick or in need of care from a health professional (% hospital emergency department)	34.2 ⁶ (29.3 - 39.1)	B 23.5 ⁶ (18.3 - 28.7)	28	11.5 ⁶ (11.0 - 12.0)
Q-11	Has used Tele-Care or other telephone information lines in the last 12 months (% yes)	12.4 (9.0 - 15.8)	W 5.4 ^E (2.6 - 8.2)	24	7.4 (7.0 - 7.8)
Use of services					
Using primary health services in the last 12 months					
U-1	Visited a personal family doctor (% yes)	78.3 (74.1 - 82.5)	81.7 (77.0 - 86.4)	15	80.3 (79.6 - 81.0)
U-2	Visited a hospital emergency department (% yes)	53.6 (48.5 - 58.7)	58.5 (52.5 - 64.5)	5	41.3 (40.5 - 42.1)
U-3	Visited a specialist (% yes)	Not available	55.5 (49.5 - 61.5)	16	56.4 (55.6 - 57.2)
U-4	Visited an after-hours clinic or a walk-in clinic (% yes)	11.5 (8.2 - 14.8)	17.2 (12.6 - 21.8)	20	24.3 (23.6 - 25.0)
U-5	Visited an alternative practitioner (% yes)	Not available	28.1 (22.6 - 33.6)	7	25.2 (24.5 - 25.9)
U-6	Visited a community health centre (% yes)	4.8 ^E (2.6 - 7.0)	5.4 ^E (2.6 - 8.2)	23	6.9 (6.5 - 7.3)
U-7	Used ambulance services (% yes)	7.2 ^E (4.5 - 9.9)	5.6 ^E (2.8 - 8.4)	17	5.7 (5.3 - 6.1)
U-8	Visited a nurse practitioner (% yes)	F	11.6 ^E (7.7 - 15.5)	8	7.7 (7.3 - 8.1)
U-9	Visited a health professional at a private clinic (% yes)	Not available	28.0 (22.5 - 33.5)	5	23.7 (23.0 - 24.4)

² Indicator rank across 33 communities. Under “efficiency” the rank is from best (1) to worst (33). Under “use of services” the rank is from highest (1) to lowest (33).

⁶ For this type of indicator, a “better” result is achieved when the indicator has a “lower” value

^E Use with caution (coefficient of variation between 16.7% and 33.3%)

^F Too unreliable to be published (coefficient of variation greater than 33.3%)

Confidence interval calculated at a 95% level of confidence.

Symbols **B** and **W** indicate a statistically significant difference at the 95% level of confidence.

Sample size shown represents total number of respondents.
 Exact number of respondents varies per survey indicator.

Caraquet, Paquetville, Bertrand Area

B = Better than 2011 results
W = Worse than 2011 results

n=365 n=255 1 to 33 n=13,614

Primary Health Indicator		2011	2014	Rank ²	NB
Communication/Relationship with personal family doctor					
C-1	How often family doctor explains things in a way that is easy to understand (% always)	72.3 (67.0 - 77.6)	72.0 (66.0 - 78.0)	32	80.2 (79.5 - 80.9)
C-2	How often family doctor involves citizens in decisions about their health care (% always)	44.6 (38.7 - 50.4)	49.4 (42.6 - 56.2)	30	68.2 (67.3 - 69.1)
C-3	How often family doctor gives citizens enough time to discuss feelings, fears and concerns about their health (% always)	69.3 (63.8 - 74.7)	71.9 (65.5 - 78.3)	17	71.9 (71.0 - 72.8)
Satisfaction (Overall rating of primary health services. When rating is described as “% 8, 9 or 10”, this is based on a scale of zero to 10.)					
S-1	Overall health care services received in New Brunswick (% 8, 9 or 10)	69.6 (64.8 - 74.4)	74.7 (69.4 - 80.0)	6	67.9 (67.1 - 68.7)
S-2	Services from personal family doctor (% 8, 9 or 10)	83.3 (79.1 - 87.5)	82.1 (77.0 - 87.2)	25	83.9 (83.2 - 84.6)
S-3	Services at the hospital emergency department (% 8, 9 or 10)	63.2 (56.3 - 70.1)	68.7 (61.2 - 76.2)	2	53.4 (52.1 - 54.7)
S-4	Services from specialist (% 8, 9 or 10)	Not available	81.9 (75.8 - 88.0)	14	82.0 (81.2 - 82.8)
S-5	Services at an after-hours clinic or walk-in clinic (% 8, 9 or 10)	65.5 (50.6 - 80.4)	67.5 (51.9 - 79.5)	28	73.3 (71.6 - 75.0)
S-6	Services from alternative practitioner (% 8, 9 or 10)	Not available	84.1 (75.9 - 92.3)	25	87.3 (86.2 - 88.4)
S-7	Services at a community health centre (% 8, 9 or 10)	75.7 (55.9 - 95.5)	68.0 ^E (42.7 - 93.3)	27	76.2 (73.6 - 78.8)
S-8	Ambulance services (% 8, 9 or 10)	100.0 (100 - 100)	W 73.3 ^E (49.3 - 97.3)	30	87.5 (85.3 - 89.7)
S-9	Services from nurse practitioner (% 8, 9 or 10)	Suppressed ⁸	Suppressed ⁸	-	85.8 (83.7 - 87.9)
S-10	Services at a private clinic (% 8, 9 or 10)	Not available	89.4 (82.3 - 96.5)	5	82.9 (81.6 - 84.2)
S-11	Evaluation of Tele-Care services (% very or somewhat helpful)	86.8 (72.6 - 97.4)	B 100.0 (100 - 100)	1	89.3 (87.2 - 91.4)
S-12	Evaluation of care received for mental or emotional health (among citizens who have talked to a health professional) (% very or somewhat helpful)	94.9 (88.1 - 100.0)	91.0 (81.1 - 100.0)	19	90.8 (89.6 - 92.0)
S-13	Wait time from booking appointment to seeing specialist (among citizens who have seen a specialist) (% very or somewhat satisfied)	Not available	77.2 (70.5 - 83.9)	28	80.5 (79.6 - 81.4)

² Indicator rank across 33 communities, from best (1) to worst (33)

⁸ Results suppressed due to limited number of nurse practitioners

^E Use with caution (coefficient of variation between 16.7% and 33.3%)

Sample size shown represents total number of respondents.
 Exact number of respondents varies per survey indicator.

Confidence interval calculated at a 95% level of confidence.

Symbols **B** and **W** indicate a statistically significant difference at the 95% level of confidence.